Safety Data Sheet

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form: Mixture

UltrOx™ - High Level Disinfectant Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: High Level Disinfectant Use of the substance/mixture: For professional use only 1.3 Details of the supplier of the safety data sheet

CIVCO Medical Solutions

102 First Street South, Kalona, IA, 52247-9589 US Telephone Number for Information: 319-248-6757

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

GHS-US classification: Eye Dam. 2B H320

2.2 Label elements

GHS-US labelling

Hazard pictograms (GHS-US): Not Applicable Signal word (GHS-US):

Hazard statements (GHS-US): H320 - Causes eye irritation

Precautionary statements (GHS-US): P264 - Wash thoroughly after handling.

> P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

2.3 Other hazards

No additional information available 2.4 Unknown acute toxicity (GHS-US)

No data available

Section 3 - Composition/Information on Ingredients

Name	Product Identifier	%	GHS-US Classification
2-Furancarboxylic acid	(CAS No) 88-14-2	2 - 3	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			STOT SE 3, H335
Hydrogen peroxide	(CAS No) 7722-84-1	1 - 3	Ox. Liq. 1, H271
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Dermal), H312
			Acute Tox. 4 (Inhalation),
			H332
			Skin Corr. 1A, H314
			Eye Dam. 1, H318
			STOT SE 3, H335
			Aquatic Chronic 3, H412
Potassium hydroxide	(CAS No) 1310-58-3	0.405	Acute Tox. 3 (Oral), H301
			Skin Corr. 1A, H314
Phosphoric acid	(CAS No) 7664-38-2	0.4	Met. Corr. 1, H290
			Acute Tox. 4 (Oral), H302
			Skin Corr. 1B, H314
1-Hydroxyethane-1,1-	(CAS No) 2809-21-4	0.3	Met. Corr. 1, H290
diphosphonic acid			Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318

Section 4: First-Aid Measures

4.1 Description of first aid measures

First-aid measures general

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible)

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Seek medical attention immediately First-aid measures after skin contact

Immediately flush skin with plenty of water for at least 15 minutes. Seek medical attention if irritation develops

First-aid measures after eye contact

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Give water to drink if victim completely conscious/alert. Immediately call a POISON CENTER or doctor/physician.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Water fog. Foam, carbon dioxide, dry chemical.

5.2 Special hazards arising from the substance or mixture

Fire hazard: Contains hydrogen peroxide, will not burn but decomposition will generate oxygen that

increases the explosive limits, enhances the burning rate and may initiate fire in combustion materials. Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire

5.3 Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire. Prevent fire-fighting

water from entering environment

Protective equipment for Do not enter fire area without proper protective equipment, including

respiratory protection firefighters: Other information Contact with metallic substances may release flammable hydrogen gas.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures: Stop leak if safe to do so. Avoid contact with skin, eyes and clothing.

Avoid breathing dust, mist or spray. Spilled material may present a slipping hazard. Ensure adequate air ventilation. Work in a well-ventilated area

6.1.1 For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

6.1.2 For emergency responders

Equip cleanup crew with proper protection. Protective equipment

Emergency procedures: Ventilate area

6.2 Environmental precautions

Product may be flushed to a sanitary sewer with copious amounts of water, if in accordance with local, state or national legislation. Dispose in a safe manner in accordance with local/national regulations Ensure all national/local regulations are observed.

6.3 Methods and material for containment and cleaning up

Contain and/or absorb spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not absorb in sawdust, paper, cloth or cleaning up:

other combustible absorbents. Collect all waste in suitable and labelled containers and dispose according to local legislation. Flush residue with large amounts of water. Do not allow to enter into surface water or drains. Ensure all national/local regulations

are observed 6.4 Reference to other sections

See Heading 8. Exposure controls and personal protection.

Section 7- Handling & Storage

7.1 Precautions for safe handling

Precautions for safe handling:

Product for industrial use only. Read label before use. Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in

process area to prevent formation of vapor. For further information refer to Section 8: Exposure-controls/personal protection.

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working

clothes from town clothes. Launder separately, Handle in accordance

with good industrial hygiene and safety practices.

7.2 Conditions for safe storage, including any incompatibilities

A washing facility/water for eye and skin cleaning purposes should be present. Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of mists and/or vapors below the recommended exposure limits. Keep only in original container. Keep container closed when not in use. Store in a

dry, cool and well-ventilated place. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep out of direct sunlight

Incompatible Reducing agents. Iron. Heavy metals. Copper alloys. Caustic products.

Combustible materials. materials:

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters Potassium hydroxide (1310-58-3)

Storage conditions:

USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³	
Phosphoric acid (7	664-38-2)	_	•
USA ACGIH	ACGIH TWA (ppm)	1 mg/m³	
LICA ACCILL	ACCIU CTEL / / 3\	2 / 3	

USA USHA	OSHA PEL (TWA) (IIIg/III*)	T IIIB/III	
Hydrogen peroxide (772	2-84-1)		
USA ACGIH	ACGIH TWA (ppm)	1 ppm	
LISA OSHA	OSHA PFL (TWA) (mg/m³)	1.4 mg/m ³	

8.2 Exposure controls

Appropriate engineering controls: Personal protective equipment:

USA OSHA

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Provide adequate ventilation. Avoid all unnecessary exposure. Personal protective equipment should be selected based upon the conditions under which this product is handled or used. Protective clothing. Gloves. Protective goggles.

1 ppm





OSHA PEL (TWA) (ppm)



Hand protection:

Gloves that are chemically resistant to the materials within this product should be worn. Examples of preferrred glove barrier materials include: butyl rubber, chlorinated polyethylene, natural rubber (latex), Neoprene, Nitrile / butadiene rubber, polyethylene, ethyl vinyl alcohol laminate, polyvinyl chloride or Viton. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves

Eye protection: Wear chemical goggles or safety glasses. Skin and body Wear suitable protective clothing.

protection: Respiratory In case of insufficient ventilation, wear suitable respiratory equipment

Other information: Do not eat, drink or smoke during use.

043-906A Page 1 of 3

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state: Appearance: Clear

Color: Colorless to light straw Odor: No data available Odor threshold: No data available 2.2 - 2.6 Approximately pH:

Relative evaporation rate

(butyl acetate=1): No data available Melting point: No data available Freezing point: No data available Boiling point: No data available

>160°F (ASTM D 92-05a (Cleveland Open Cup) Flash point:

Auto-ignition temperature: No data available Decomposition temperature: No data available Flammability (solid, gas): No data available No data available Vapor pressure: Relative vapor density at 20°C: No data available No data available Relative density: Density: 1.022 g/ml Specific Gravity Solubility: Water: Completely soluble

Log Pow: No data available Log Kow: No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available No data available Explosive properties: Oxidising properties: No data available Explosive limits: No data available

9.2 Other information

No additional information available.

Section 10 - Stability and Reactivity

10.1 Reactivity

No additional information available

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

No additional information available

10.5 Incompatible materials

Reducing agents. Iron. Heavy metals. Copper and its alloys. Caustic products. Combustible materials.

10.6 Hazardous decomposition products

Thermal decomposition generates: Fume, Carbon monoxide, Nitrogen oxides, Carbon dioxide,

Section 11 - Toxicological Information

|--|

1-Hydroxyethan1, 1-diphos	phonic acid (2809-21-4)
LD50 oral rat	2400 mg/kg
LD50 dermal rabbit	> 7940 mg/kg
ATE CLP (oral)	500.000 mg/kg bodyweight

Potassium hydroxide (1310-58-3)	
LD50 oral rat	214 mg/kg
ATE CLP (oral)	500.000 mg/kg bodyweight

Phosphoric acid (7664-38-2)	
LD50 oral rat	1530 mg/kg
LD50 dermal rabbit	2730 mg/kg
LC50 inhalation rat (mg/l)	> 850 mg/m³ (Exposure time: 1 h)
ATE CLP (oral)	1530.000 mg/kg bodyweight
ATE CLP (dermal)	2730.000 mg/kg bodyweight

Hydrogen peroxide (7722-84-1)	
LD50 oral rat	801 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	2 g/m³ (Exposure time: 4 h)
ATE CLP (oral)	801.000 mg/kg bodyweight
ATE CLP (dermal)	2000.000 mg/kg bodyweight
ATE CLP (gases)	4500.000 ppmv/4h
ATE CLP (vapors)	2.000 mg/l/4h
ATE CLP (dust,mist)	2.000 mg/l/4h
IARC group	3 - Not classifiable

Skin corrosion/irritation: Dermal Tox: LD50 > 5000mg/kg pH: 2.2 - 2.6 Approximately

Serious eye damage/irritation: May have the poential to be a mild irritant

pH: 2.2 - 2.6 Approximately

Respiratory or skin sensitisation: Not classified Not classified Germ cell mutagenicity: Carcinogenicity:

Reproductive toxicity: Not classified - Based on available data, the classification

criteria are not met

Specific target organ toxicity Not classified - Based on available data, the classification (single exposure): criteria are not met

Specific target organ toxicity Not classified - Based on available data, the classification

(repeated exposure): criteria are not met

Aspiration hazard: Not classified - Based on available data, the classification

criteria are not met Potential Adverse human health Not classified - Based on available data, the classification

effects and symptoms: criteria are not met

Symptoms/injuries after skin contact: Repeated or prolonged skin contact may cause irritation Symptoms/injuries after eye contact: In fine dispersion/spraying/misting: May cause eye

Section 12 - Ecological Information

12.1 Toxicity

Aquatic Toxicity: IC50 > 750 mg/l

	Addate Foresty: 2000 F 750 mg/	
1-Hydroxyethane		,1-diphosphonic acid (2809-21-4)
	LC50 fishes 1	868 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
	EC50 Daphnia 1	527 mg/l (Exposure time: 48 h - Species: Daphnia magna)
	LC50 fish 2	360 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
	NOEC (acute)	1000 mg/kg (Exposure time: 14 Days - Species: Eisenia foetida [soil dry weight])

Hydrogen peroxide (7722-84-1)	
LC50 fishes 1	16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	18 - 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [static])
LC50 fish 2	18 - 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

12.2 Persistence and degradability

UltrOx™ High-Level Disinfectant	
Persistence and	The surfactant(s) contained in this preparation complies(comply) with the
degradability	biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on
	detergents. Data to support this assertion are held at the disposal of the
	competent authorities of the Member States and will be made available to
	them, at their direct request or at the request of a detergent manufacturer.

12.2 Pierscumulative notential

12.5 bioaccumulative potential	
UltrOx™ High-Level	Disinfectant
Bioaccumulative	Not established.
potential	

1-Hydroxyethane-1,1-diphosphonic acid (2809-21-4)		
BCF fish 1	< 50	
BCF fish 1	3.49	

Potassium hydroxide (1310-58-3) Log Pow 0.65

0	****	
Hydrogen peroxide (7722-84-1)		
BCFR fish 1	(no bioaccumulation)	

12.4 Mobility in soil

No additional information available.

12.5 Other adverse effects

Other information: Avoid release to the environment.

Section 13 - Disposal Considerations

13.1. Waste treatment methods

Waste disposal recommendations: Product may be flushed to a sanitary sewer with copious

amounts of water, if in accordance with local, state or national legislation. Dispose in a safe manner in accordance with local/national regulations. Ensure all national/local regulations are observed.

Ecology – waste materials: Avoid release to the environment.

Section 14 – Transport Information

In accordance with DOT: Not regulated for transport.

Additional information

Other information: No supplementary information available.

ICAO/IATA Class: Product containers are vented; therefore, this product

cannot be shipped by air.

Transport document description: Transport by sea

No additional information available.

No additional information available.

Air transport

ICAO/IATA Class: Product containers are vented; therefore, this product

cannot be shipped by air.

Section 15 - Regulatory Information

15.1. US Federal Regulations

1-Hydroxyethane-1,1-diphosphonic acid (2809-21-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

Potassium hydroxide (1310-58-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb

Phosphoric acid (7664-38-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
RQ (Reportable quantity, section 304 of	5000 lb
EPA's List of Lists)	

Hydrogen peroxide (7722-84-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Listed on the United States SARA Section 302		
SARA Section 302 Threshold Planning	1000 (concentration >52%)	
Quantity (TPQ)		

2-Furancarboxylic acid (88-14-2) TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

No additional information available.

043-906A Page 2 of 3

Section 16 - Other Information

Revision Date: 12/27/2022 Other Information: Full text of H-phrases: None See section 16:


Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment —
	Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category
	2A
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 1	Oxidizing Liquids, Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure)
	Category 3
H271	May cause fire or explosion; strong oxidiser
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

 $1-\mbox{Exposure}$ could cause irritation but only minor residual injury even if no treatment is given. NFPA health hazard:

NFPA fire hazard: 0 – Materials that will not burn.

1 – Normally stable, even under fire exposure conditions, and are not NFPA reactivity:

reactive with water.



Last Revision Date: 12.27.22

Disclaimer/Statement of Liability SDS US (GHS HazCom 2012)

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and sofety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction.

043-906A Page 3 of 3