

**Adult Units**

Alarm Count = 10	Filters					Primary Level				Secondary Level				Third Level			
Alarm or Alert Message	Suspend before alarm is sent to device (sec)	Voalte Icon	Alarm source Grade (decription)	Device Responses or Reply Options	Connexall Count Trigger (# of alerts per time)	First Level Responder (Roles)	Time to answer & Interval between Retries (sec)	Notification Retries (count)	Delay on ACK (sec)	Second Level Responder (Roles)	Time to answer & Interval between Retries (sec)	Notification Retries (count)	Delay on ACK (sec)	Third Level Responder (Roles)	Time to answer & Interval between Retries (sec)	Notification Retries (count)	Delay on ACK (sec)
Definitions	When an alarm is activated, how long before an alert is sent to the primary level responder?	What icon displays on my phone when this alarm is activated?	What is the priority assigned to this alarm?	What are the response options for this alert?	How many times must this event occur before an alarm will be sent to recipient?	Who receives the alert at the first level?	How long before does the recipient have to acknowledge the alarm before the alarm is resent or escalates to the next level?	How many reminders will be sent to the first recipient before escalating to the next level?	How long will retry/escalation be delayed if the recipient acknowledges the alarm?	Who receives the alert at the second level?	How long before does the recipient have to acknowledge the alarm before the alarm is resent or escalates to the next level?	How many reminders will be sent to the recipient before escalating to the next level?	How long will retry/escalation be delayed if the recipient acknowledges the alarm?	Who receives the alert at the third level?	How long before does the recipient have to acknowledge the alarm before the alarm is resent or escalates to the next level?	How many reminders will be sent to the recipient before escalating to the next level?	How long will retry/escalation be delayed if the recipient acknowledges the alarm?
<b>Asystole</b>	5		Crisis	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse Primary CNA/Tech	60	0	120	Team Lead	60	0	120	Assistant Nurse Manager	9999 = One time notification	0	0
<b>VT</b>	0		Crisis	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse Primary CNA/Tech	60	0	120	Team Lead	60	0	120	Assistant Nurse Manager	9999	0	0
<b>Vfib/VT</b>	0		Crisis	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse Primary CNA/Tech	60	0	120	Team Lead	60	0	120	Assistant Nurse Manager	9999	0	0
<b>Bradycardia</b>	60		Warning	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse	90	1	300	Team Lead	90	1	300	Assistant Nurse Manager	9999	0	0
<b>Tachycardia</b>	60		Warning	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse	90	1	300	Team Lead	90	1	300	Assistant Nurse Manager	9999	0	0
<b>Leads fail</b>	60		Warning	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse Primary CNA/Tech	90	1	300	Team Lead	90	1	300	Assistant Nurse Manager	9999	0	0
<b>No Telemetry</b>	10		Warning	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse Primary CNA/Tech	60	0	180	Team Lead	60	0	180	Assistant Nurse Manager	9999	0	0
<b>Pause</b>	0		Warning	Acknowledge/Respond View/Acknowledge Escalate	3x / 60 sec	Primary Nurse	9999	0	0								
<b>SpO2 Low</b>	90		Warning	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse Primary CNA/Tech	90	1	180	Team Lead	90	1	180	Assistant Nurse Manager	90	1	120
<b>SpO2 Probe Off</b>	90		Warning	Acknowledge/Respond View/Acknowledge Escalate		Primary Nurse Primary CNA/Tech	90	1	300 (5min)	Team Lead	90	1	300 (5min)	Assistant Nurse Manager	90	1	300 (5min)
<b>Change Battery (Low Battery)</b>	120		Message	Acknowledge/Respond Escalate		Primary CNA/Tech	300 (5min)	1	1800 (30min)	Primary Nurse	300 (5min)	0	1800	Team Lead	9999	0	0