## Vial2Bag Advanced™ 20mm Admixture Device: Instructions for Use


## **Indication for Use**

The Vial2Bag Advanced™ 20mm Admixture Device is indicated to serve as a connection between a 50, 100 or 250mL IV bag, vial with 20mm closure, and an external IV administration set. The integrated Vial Adapter makes it possible to reconstitute and/or admix drugs prior to administration to the patient.

#### **WARNING**

 Do not omit dilution/mixing steps (Step 2); failure to dilute and/or mix drug product may result in delivery variance of +60% of target concentration at beginning of delivery.

## Improperly Mixed/Diluted Delivery Profile




- Do not attach a Vial2Bag Advanced<sup>™</sup> 20mm Device to another Vial2Bag Advanced<sup>™</sup> 20mm Device.
- Do not use with IV bags other than those stated in the Indications for Use.
- · Do not use with Lipids.

### **Precautions**

- Single-use only device.
- Do not use if device or package is damaged.
- Contents are sterile and non-pyrogenic.
- Vial must remain attached to device to avoid leakage.
- Reuse compromises safety and efficacy and may cause contamination due to loss of sterility.
- Dispose of used device in accordance with applicable regulations.
- Re-sterilization may damage the device.
- After reconstitution, use in condition recommended by the manufacturer.
- It is the Healthcare Professional's responsibility to ensure any special considerations or instructions listed on the Package Insert of the drug are adhered to, in preparation of the drug for administration.

## Vial2Bag Advanced™ 20mm Admixture Device



## **Preparations**

- Use aseptic technique.
- Remove cap from vial and disinfect per drug manufacturer's recommendations.




Vial2Bag Advanced<sup>™</sup> and Blue Vial Adapter are trademarks and registered trademarks of West Pharma. Services IL, Ltd., a subsidiary of West Pharmaceutical Services, Inc.

# **1** ATTACH VIAL2BAG ADVANCED™ 20MM DEVICE TO VIAL


- · Place vial on a stable, flat surface
- Hold Vial2Bag Advanced<sup>™</sup> 20mm Device by the finger flange
- Push Vial2Bag Advanced<sup>™</sup> 20mm
   Device into center of vial until it is attached
- Remove Vial2Bag Advanced<sup>™</sup> spike protector
- Spike Vial2Bag Advanced<sup>™</sup> 20mm
   Device into IV bag until it is up to the step line





## **2** DISSOLVE OR DILUTE DRUG

- · Hold bag with vial down
- Fill vial until half full by squeezing bag repeatedly



- · Hold vial and bag together
- Mix per drug manufacturer's package insert



 Empty vial by squeezing bag to force air into vial




- Inspect vial for any remaining drug
- Repeat until drug is dissolved and transferred










# 3 CONNECT IV SET TO VIAL2BAG ADVANCED™ 20MM DEVICE

- Twist off end to open IV Port
- Remove protector from IV set spike
- Spike the IV set per its instructions to the Vial2Bag Advanced<sup>™</sup> IV port until it is tightly secured
- · Empty drug from vial, if needed
- · Leave vial in place
- Do not rotate vial







Single use only

Do not use if package is open or damaged Sopen or damaged Sopen or damaged Sopen or damaged Sopen Sope

ISSUED: 27 Oct. 2020 Ref. No: 1090209 Rev. 1.0

510(k) Ref. Number: K201415